



San Diego County Air Pollution Control District

ATTACHMENT DD: List of Solvents for Asbestos Mastic Removal Operations

The following solvents have been evaluated by the District and found acceptable for Asbestos Mastic Removal Operations use. Note that other solvents may be evaluated by the District upon a manufacturer's or a facility's request.

Manufacturer	Product Name	Vapor Pressure (mmHg)
Abatix	AMR 100 Solvent	0.1
Envirochem Supply Co.	Big-O-Citrustrip	2
Envirochem Supply Co.	Envriochem 123	0.7
Franmar Chemical	Bean-E-Doo	< 5
Franmar Chemical	Franmar Chemical MTS 590	0
Grayling Industries	Control Low odor Mastic Remover	0.5
Inline Distributing	Inline Safe Guard Solvents	<5 @100.00F
Orange County Chemical Supply	2000 Plus	ND
Rochester Midland Corp.	Neugenic 4175	0.2
Rochester Midland Corp.	Neugenic 4175-CA	<0.1
Rochester Midland Corp.	Neugenic 4177	7.5
Sentinel	Sentinel 707	Negligible
Sentinel	Sentinel 747	Negligible
Sentinel	Sentinel 909	< 0.1
Sentinel	Sentinel 7200-C	<0.1
Soysolv	Soysolv II	0
987 adhesive remover	987 adhesive remover	0
Certane 55	Certane 55	< 3
SD66 Safe	SD66 Safe	<0.1
American Coating Corp.	ACC-555	<2
Chemisphere Corp.	MA-22	<0.1
Chemisphere Corp.	MA-66	<0.1
Chemisphere Corp.	MA-77	< 1
Chemisphere Corp.	MA-88	< 1
Chemisphere Corp.	MA-99	< 1.8
Grayling Industries	Control Soy Mastic Remover	1.8
Grayling Industries	Control Green Low Odor Mastic Remover	0.1
Chemsafe	310-C	<0.1
Chemsafe	400 (water based)	Negligible

10124 Old Grove Rd. – San Diego - California 92131-1649 – (858) 586-2600
www.sdapcd.org

Manufacturer	Product Name	Vapor Pressure (mmHg)
Chemsafe	200-C	<0.1
Chemsafe	100-C	<0.1
Chemsafe	Chemsafe Clear	<0.1
Chemsafe	Citrus Light-C	<0.1
Chemsafe	100-C HP	<0.1

10124 Old Grove Rd. – San Diego - California 92131-1649 – (858) 586-2600
www.sdapcd.org