

62 *Coating application methods shall comply with applicable District prohibitory rules. Verify that the proposed spray gun complies with*
 63 *the applicable coating rule. If a District approved alternative spray gun is proposed please attach the District approval letter (please*
 64 *provide a separate sheet if needed)*

65 **2) Application Station Description:**

66 Coatings are applied in: Outdoors Room Other _____

67 Open Faced Spray Booth (i.e. 3 walls): Enclosed Spray Booth (i.e. 4 walls) Number of Booth(s) _____

68 For Open-Faced booths, distance between the filter bank and the spray area : _____ (feet)

69 Internal Dimensions: _____ (feet) Length, _____ (feet) Width, _____ (feet) Height

70 Manufacturer: _____ Model: _____

71 Booth to be equipped with filter(s)? No Yes, *please complete the following information and submit filter manufacturer*
 72 *specifications with application, which must include filter efficiency and associated efficiency test*

73 Filter Type (or description): _____

74 Number of Exhaust Fans: _____ Exhaust Flow Rate (per fan): _____ ft³/min

75 Ventilation Type: N/A

76 Negative Ventilation (i.e. air will always be drawn into the booth)

77 Positive Ventilation with automatic pressure balancing system

78 Pressure Setting (in WC): _____

79 Booth is Completely Sealed: No Yes

80 Mechanism to verify pressure setting: _____

81 **3) Drying Method**

82 Air Dried Oven Dried Other _____

83 If other than Air Dried, complete the following information:

84 Oven Manufacturer: _____ Model: _____ Drying Temperature: _____ °F

85 Dimensions: Length: _____ (feet) Width: _____ (feet) Height: _____ (feet)

86 Oven Power Supply: Electric Fuel

87 If fuel, Type _____ Usage (gal/day or cfm) _____ Heat Input Rating (btu/hr) _____

88 **4) VOC Control**

89 Is any VOC control technology proposed? No Yes, please complete and submit supplemental application form 27I, *Control*
 90 *Equipment for Coating Operations.*

91 **D. NESHAP (6H) REQUIRED DATA**

92 If this is a previously permitted automotive coating operation, has a request for an exemption from NESHAP 6H been submitted to the
 93 District? No Yes (attach the copy of the request for exemption)

94 Does the facility propose to use a spray application method of coatings containing compounds of chromium (Cr) III, chromium (Cr) VI,
 95 lead (Pb), manganese (Mn), nickel (Ni), or cadmium (Cd)? No Yes, please attached arrestance test results for the proposed
 96 filters to demonstrate the filter arrestance (i.e. capture efficiency per ASHRAE Method 52.1 or equivalent)

97 Does the facility propose to use any stripping material containing methylene chloride (CAS 75-09-2)? No Yes

Monthly MeCl usage (gal): _____ *If annual usage is greater than 1 ton (i.e. 238 gallons), you must submit a written MeCl minimization plan (from §63.11173(b) of 6H) with this application.*

E. COATINGS, SOLVENTS AND OTHER MATERIALS CONTAINING VOC's

For each material used, include all of the following:

- Volatile organic compound (VOC) content
 - Regulatory VOC content (i.e., VOC as applied, less water and exempt compounds)
 - All components of the material, including all VOC and toxic air contaminants (TACs) under District Rule 1200
 - For multipart coatings, include the mix ratio and the VOC content less water and exempt compounds of the mixture
 - Current Material Safety Data Sheet (MSDS), safety data sheets, technical data sheet, manufacturer's data, and/or EPA Method 24 test results.
 - If any of these documents contains trade secret/proprietary information, please contact the manufacturer to obtain another supporting document that provides the necessary information (i.e. VOC and TAC content, all components of each material, and CAS number).
 - Please include manufacturer's specification data sheet for each specialty coating as defined by the applicable prohibitory rule.
- Please complete the table below for each proposed coating. A separate sheet may be included as necessary.

Coating Category* <small>(Refer to applicable prohibitory rule for definitions)</small>	Mfg. Name / ID#	Mix Ratio	Maximum applied** <small>(gal./day)</small>	Application Method <small>(HVLP, roller, etc.)</small>
	P:			
	C:			
	R:			
	O:			
	P:			
	C:			
	R:			
	O:			
	P:			
	C:			
	R:			
	O:			

P = Paint; C = Catalyst, Hardener, Activator; R = Reducer, Thinner O = Other (e.g. Accelerator, Flattener, and Color blender)
** Please describe the coating category as defined by the applicable prohibitory rule*
*** "Maximum Applied" is the amount of material prepared for applications, minus the amount of material disposed of or reclaimed*

Maximum usage of coatings: _____ (gals/hr) _____ (gals/day)

Maximum usage of solvents: _____ (gals/hr) _____ (gals/day)

Please indicate if you are proposing a ten (10) pound per day VOC limit for this operation Yes No, *other portions of New Source Review Rules become applicable. Contact the District for additional documentation required and a fee estimate.*

F. RULE 1200 TOXICS EVALUATION

EMISSION POINT DATA Determine if your emission source(s) are ducted sources or if they are unducted/fugitive sources and provide the necessary data below.

1. **Ducted or Stack Emissions** (e.g. an exhaust pipe or stack, a roof ventilation duct, etc.)

Parameter	Point #1	Point #2	Point #3	Point #4	Point #5	Point #6
Height of exhaust above ground (ft)						
Stack diameter (or length width) (ft)						
Exhaust gas flow (actual cfm) Max/Min						
Is exhaust vertical (Yes or No)						
Exhaust type (unobstructed, flapper,raincap)						
Distance to Property Line (±10 ft)						

2. **Unducted Emissions** (e.g. anything not emitted through a duct, pipe, or stack, for instance, an open window or an outdoor area) Are any materials applied outside of the spray booth (e.g. surface prep and polyester resins)? No Yes, *describe how unducted vapors, and/or particles get into the outside air. Provide a brief description of the process or operation for each unducted emission point.*

If unducted emissions come out of the building openings such as doors, bays or windows, estimate the **size of the opening** (example – 3 ft x 4 ft window).

If unducted emissions originate outside your buildings, estimate the **size of the emission zone** (example – paint spraying 2’ x 2’ x 2’ bread boxes).

RECEPTOR DATA provide the distance from the emission point to the nearest property line of the nearest residence and to the nearest business. If another business is located on the same property as the emission point but is not under common ownership, include the distance to this business.

Distance to nearest residence: _____ ft Distance to nearest business: _____ ft

PLOT PLAN Please also provide a **facility plot plan or diagram** (need not be to scale as long as the distances of key features from reference points are shown) showing the location of emission point(s) at the facility, property lines, and the **location and dimensions of buildings** (estimated height, width, and length) that are closer than 100 ft. from the emission point. This diagram helps by making it possible for the District to efficiently set up the inputs for health risk evaluation. Inaccurate information may adversely affect the outcome of the evaluation.

Name of Preparer: _____ **Title:** _____

E-mail: _____ **Phone:** (____) _____

Signature: _____ **Date:** _____

NOTE TO APPLICANT:

Before acting on an application for Authority to Construct or Permit to Operate, the District may require further information, plans, or specifications. Forms with insufficient information may be returned to the applicant for completion, which will cause a delay in application processing and may increase processing fees. The applicant should correspond with equipment and material manufacturers to obtain the information requested on this supplemental form.