## **D01 – PORTABLE DEGREASING, UNCONTROLLED CALCULATION METHODS**

## CALCULATION METHODS

Annual Emissions: Ea = #Units x EF (lbs TOG/day) x Ci (lbs/lb) x 365 (days) Hourly Emissions: Eh = #Units x EF (lbs TOG/day) x Ci (lbs/lb) / 24 (hours)

Notes:

\* Safety Kleen emission factors based on a 1996 District study.

\* Assume no reaction, conversion, or breakdown of the degreasing solvent during use.

\* The average daily emission rates developed by the District should be used only when representative solvent throughput records are unavailable.

\* All similar portable degreasing units using the same solvent should be reported as a single material unless emissions are being calculated according to mass balance procedures.

\* Emission calculations are uncontrolled. Capture and removal efficiencies must be identified for controlled processes.

\* For variable definitions and more details, please check: (https://www.sdapcd.org/content/sdapcd/permits/toxics-emissions/calculation-procedures.html)

| POLLUTANT                           | DISTRICT EMISSION<br>FACTORS (Weight<br>Percent) | REFERENCE DOCUMENT | AP 42-<br>FACTOR | (UNITS) | COMMENTS                       |
|-------------------------------------|--|--------------------|------------------|---------|--------------------------------|
| NOX                                 |  |                    |                  |         |                                |
| СО                                  |  |                    |                  |         |                                |
| SOX                                 |  |                    |                  |         |                                |
| TOG                                 | 100.00   |                    |                  |         | Based on a 1996 District study |
| ROG                                 | 99.35  |                    |                  |         | Based on a 1996 District study |
| TSP                                 |  |                    |                  |         |                                |
| PM10                                |  |                    |                  |         |                                |
| DICHLOROBENZENES<br>(MIXED ISOMERS) | 0.20   |                    |                  |         | Based on a 1996 District study |
| ETHYL BENZENE                       | 0.50   |                    |                  |         | Based on a 1996 District study |
| GLYCOL ETHERS, UNSPECIFIED          | 1.00   |                    |                  |         | Based on a 1996 District study |
| METHYLENE CHLORIDE                  | 0.15   |                    |                  |         | Based on a 1996 District study |
| NAPHTHALENE                         | 3.00   |                    |                  |         | Based on a 1996 District study |
| PERCHLOROETHYLENE                   | 0.25   |                    |                  |         | Based on a 1996 District study |
| TOLUENE                             | 0.25   |                    |                  |         | Based on a 1996 District study |

| POLLUTANT             | DISTRICT EMISSION<br>FACTORS (ppmw) | <b>REFERENCE DOCUMENT</b> | AP42-<br>FACTOR | (UNITS) | COMMENTS                       |
|-----------------------|-------------------------------------|---------------------------|-----------------|---------|--------------------------------|
| 1,1,1-TRICHLOROETHANE | 0.25                                |                           |                 |         | Based on a 1996 District study |
| XYLENES               | 1.00                                |                           |                 |         | Based on a 1996 District study |

Last Updated on 02/09/2023 By B. Wong