<u>S08 - SCREENING OPERATION, PROCESS MATERIAL, WET, UNCONTROLLED, AWR / MPI / DISTRICT</u> 4/9/96 METHODOLOGY

CALCULATION METHODS

(Fugitive Releases)

 $Ea = Ua \times EF \times Ci$

 $Eh = Uh \times EF \times Ci$

(Ducted Releases)

Ea = 0

Eh = 0

Notes:

- The AWR / MPI / District Screening Operation Emission Factors for this material are 0.00084 lbs PM10 and 0.00178 lbs TSP per ton material processed.
- The PM10 factor is based upon the uncontrolled Screening value in Section 11.19.2, Table 11.19.2-2 of AP-42 (1/95) and the District AWR MPI agreement dated 4/9/96.
- The TSP factor is calculated using a (0.74/0.35) ratio of particle size multipliers from Section 13.2.4 of AP-42 and the above PM10 value.
- The trace metal default concentrations are based on an AWR material analysis for crushed miscellaneous base, (Profile 7), submitted to the District in July 1996. Use site specific

data if available.

- Screens processing dry material should not be evaluated with this procedure. Note: Screens processing wet material should not require controls.
- Per the AWR / MPI / District agreement;
- "Process" Material = Aggregate Streams composed of material that is 70% or more by weight > #4 mesh.
- "Fines" Material = Aggregate Streams composed of material that is 30+% by weight < #4 mesh.
- "Dry" Material = "Process" streams with an average moisture content of <1.5% and "Fines" streams with an average moisture content of <3.0%.
- "Wet" Material = "Process" streams with an average moisture content of 1.5% or more and "Fines" streams with an average moisture content of 3.0% or more.
- "Zero" emissions will be assumed for water washed aggregates with visible moisture as well as any material with an average moisture content of 5% or more

POLLUTANT	DISTRICT EMISSION FACTORS (ppmw)	REFERENCE DOCUMENT	ARB	(UNITS)	COMMENTS
NOX					
CO					
SOX					
TOG					
ROG					
TSP	1,000,000.00	AP-42, Sections 11.19.2 and 13.2.4 (1/95).			
PM10	1,000,000.00	AP-42, Sections 11.19.2 and 13.2.4 (1/95).			
ALUMINUM	15,000.00				Based on local test results.

POLLUTANT	DISTRICT EMISSION FACTORS (ppmw)	REFERENCE DOCUMENT	ARB	(UNITS)	COMMENTS
ARSENIC	22.00				Based on local test results.
BARIUM	225.00				Based on local test results.
BERYLLIUM	1.00				Based on local test results.
CADMIUM	1.00				Based on local test results.
CHROMIUM HEXAVALENT	-				Based on local test results. No Cr+6 detected in any samples analyzed.
CHROMIUM NONHEXAVALENT	28.00				Based on local test results.
COBALT	11.00				Based on local test results.
COPPER	37.00				Based on local test results.
LEAD	50.00				Based on local test results.
MANGANESE	530.00				Based on local test results.
MERCURY	-				Based on local test results. No mercury detected in any samples analyzed.
NICKEL	28.00				Based on local test results.
SELENIUM	1.00				Based on local test results.
SILICA, CRYSTALLINE	100,000.00				Based on local test results.
RESPIRABLE SILICA, CRYSTALLINE CRISTOBALITE QUARTZ	7,950.00				PM4 fraction of PM10 silica, assumed to be 7.95%
ZINC	99.00				Based on local test results.