

**INITIAL STUDY CEQA APPENDIX G:
ENVIRONMENTAL CHECKLIST FORM**

A. BACKGROUND

Project Title:	Sorrento Valley Crematory
Lead Agency Name and Address:	San Diego County Air Pollution Control District 10124 Old Grove Road San Diego CA 92131
Contact Person and Phone Number	Kathleen Keehan Air Quality Specialist (858) 586-2726
Project Location	5600 Carroll Canyon Road San Diego CA 92121
Project Sponsor's Name and Address:	Douglas Trobaugh 5600 Carroll Canyon Road San Diego CA 92121
General Plan Designation	Agricultural-Residential
Existing Zoning	AR-1-1

B. GENERAL DESCRIPTION


The project applicant, Sorrento Valley Crematory, proposes to install a propane American Crematory model A-350-HT crematory within an enclosed building to reduce human remains to bone fragments through the application of intense heat and flames. The footprint of the existing structure would not be altered.

Project implementation may only occur following District issuance of air quality permits (Authority to Construct and Permit to Operate) and will be subject to permit conditions limiting or requiring specific actions to ensure compliance with District air pollution control requirements, thereby minimizing the impact of any emissions increase and ensuring no significant adverse effect upon ambient air quality or public health. The project applicant will be subject to periodic inspections by the District to confirm compliance.

C. SURROUNDING LAND USE AND SETTING

Sorrento Valley Crematory would be sited at 5600 Carroll Canyon Road, San Diego CA 92121. This parcel is designated in the City of San Diego general plan as Agricultural-Residential and is zoned AR-1-1. The site currently houses El Camino Memorial. As shown in Figure 1, the site is surrounded by cemetery and open space on all sides, with Carroll Canyon Road/Carrol Road located approximately 600 feet south and west of the building.

Figure 1: Project Vicinity Map



D. OTHER PUBLIC AGENCIES WHOSE APPROVAL IS REQUIRED

The City of San Diego has an existing Major Use Permit to allow cemetery/mausoleum/cremation services on site.

E. ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED:

The environmental factors checked below would be potentially affected by this project, involving at least one impact that is a "Potentially Significant Impact" as indicated by the checklist on the following pages.

<input type="checkbox"/>	Aesthetics	<input type="checkbox"/>	Agriculture and Forestry Resources	<input type="checkbox"/>	Air Quality
<input type="checkbox"/>	Biological Resources	<input type="checkbox"/>	Cultural Resources	<input type="checkbox"/>	Geology /Soils
<input type="checkbox"/>	Greenhouse Gas Emissions	<input type="checkbox"/>	Hazards & Hazardous Materials	<input type="checkbox"/>	Hydrology / Water Quality
<input type="checkbox"/>	Land Use / Planning	<input type="checkbox"/>	Mineral Resources	<input type="checkbox"/>	Noise
<input type="checkbox"/>	Population / Housing	<input type="checkbox"/>	Public Services	<input type="checkbox"/>	Recreation
<input type="checkbox"/>	Transportation/Traffic	<input type="checkbox"/>	Utilities / Service Systems	<input type="checkbox"/>	Mandatory Findings of Significance

F. DETERMINATION: (To be completed by the Lead Agency)

On the basis of this initial evaluation:

I find that the proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.

I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.

I find that the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.

I find that the proposed project MAY have a "potentially significant impact" or "potentially significant unless mitigated" impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.

I find that although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required.

Signature

Date

Signature

Date

G. ENVIRONMENTAL CHECKLIST

This checklist is based on appendix G of the CEQA Guidelines. A discussion of impacts follows each environmental issue listed in the checklist.

For this checklist, the following designations are used:

Potentially Significant Impact: an impact that could be significant, and for which no mitigation has been identified. If any potentially significant impacts are identified, an EIR must be prepared.

Less Than Significant with Mitigation Incorporated: An impact that requires mitigation to reduce the impact to a less-than-significant level.

Less-Than-Significant Impact: Any impact that would not be considered significant under CEQA relative to existing standards.

No Impact: The project would not have any impact.

I. <u>AESTHETICS</u> . Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Have a substantial adverse effect on a scenic vista?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Substantially degrade the existing visual character or quality of the site and its surroundings?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Discussion:

(a) - (c) The project does not propose any changes to the existing building structure, therefore there is no impact relating to scenic vistas or visual character of the site.

(d) The project does not propose any changes to the outdoor lighting for the site, therefore there is no impact relating to the creation of new sources of light or glare which would adversely affect day or nighttime views in the area.

II. AGRICULTURE AND FORESTRY RESOURCES. Would the project:

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--	--------------------------------	--	------------------------------	-----------

a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

d) Result in the loss of forest land or conversion of forest land to non-forest use?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

e) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

(a), (c) – (e) The proposed project consists of installing an crematory in an existing building. The footprint of the existing building would not be altered and no ground-disturbing activities would be involved. Project implementation would not convert prime or unique farmland or farmland of statewide importance to non-agricultural use; would not convert forest land to non-forest use; and would not involve other changes that might ultimately result in conversion of farmland to non-agricultural use or conversion of forest land to non-forest use. Based on the above discussion, it is expected that project implementation would have no adverse impact on agricultural resources.

(b) The City of San Diego has an approved Major Use Permit for this location, allowing cemetery/mausoleum/crematory use for this site, therefore the project does not conflict with existing zoning for agricultural use or a Williamson Act contract.

III. AIR QUALITY. Where available, the significance criteria established by the applicable air quality management or air pollution control district may be relied upon to make the following determinations. Would the project:

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Conflict with or obstruct implementation of the applicable air quality plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Violate any air quality standard or contribute substantially to an existing or projected air quality violation?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard (including releasing emissions which exceed quantitative thresholds for ozone precursors)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Expose sensitive receptors to substantial pollutant concentrations?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Create objectionable odors affecting a substantial number of people?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

(a) – (c) The proposed project consists of installing a crematory in an existing building. No residential, school, or other sensitive land uses exist within 1,000 feet of the crematory. The crematory will be located within the jurisdictional area of the San Diego County Air Pollution Control District (SDAPCD). The San Diego air basin (SDAB) is subject to standards for air quality set by the State of California and the federal Environmental Protection Agency. The SDAB has been designated as nonattainment for the federal and State ozone, and State particulate matter standards. The air quality plans for attainment of State and federal standards specify screening thresholds for criteria air pollutants for use in environmental review under CEQA, which are included in Table 1.

Because the project proposes no changes to the existing structure, construction on the project will be minimal, and construction-related emissions will be negligible. Operation of the propane fired crematory will result in production of criteria air pollutants, including reactive organic gases (ROG), nitrogen oxides (NOx) and particulate matter (PM). Analysis of the operation of the crematory shows increases in these criteria pollutants that fall below the screening thresholds.

Pollutant	NOx	CO	VOC	PM10	SOx
Estimated PTE	19.92	.364	0.048	2.925	.0101
Screening-Level Threshold of Significance	250	550	75	100	250
Above Threshold?	No	No	No	No	No

As shown in Table 1, emissions from the crematory would not create emissions above the screening thresholds, and therefore would not conflict with implementation of any applicable air quality plan, violate any air quality standard or contribute substantially to an existing or projected air quality violation, or result in a cumulatively considerable net increase in any criteria pollutant. These air quality impacts are considered less than significant.

(d) SDAPCD also analyzes projects' emissions of toxic air contaminants (TACs). Operation of the crematory could result in emissions of a variety of air pollutants that are classified as TACs. A health risk assessment was conducted for this equipment and was used to establish an enforceable annual limit on weight of cremated material to ensure that the increase in cancer risk is below one in one million and acute and chronic health hazard indexes are below one. SDAPCD considers these impact levels to be less than the significance thresholds, so based on this analysis, operation of the proposed crematory will not result in emissions above the screening threshold, and impacts related to exposure of sensitive receptors to TACs would be less than significant.

(e) Remains are expected to be processed within 24 hours of being brought to the crematory, and any remains that are not processed within 24 hours would be stored under refrigeration at less than 32 degrees F. Operation of the crematory is not expected to create objectionable odors due to the combustion and afterburning process of the cremation unit in compliance with the SDAPCD permit requirements. Therefore operation of the crematory would not create objectionable odors affecting a substantial number of people, and the impacts would be less than significant.

<u>IV. BIOLOGICAL RESOURCES:</u> Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Game or US Fish and Wildlife Service?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

(a) – (e) The proposed project consists of installing a crematory in an existing building. The footprint of the existing building would not be altered and no ground-disturbing activities would be involved. Project implementation would have no effect on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or the U.S. Fish and Wildlife Service; would have no effect on federally protected wetlands as defined by Section 404 of the Clean Water Act through direct removal, filling, hydrological interruption, or other means; would not interfere with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites; would not conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance; and would not conflict with the provisions of an adopted Habitat Conservation plan, Natural Community Conservation Plan, or other approved local, regional, or State habitat conservation plan. Based on the above discussion, it is expected that project implementation would have no adverse impact on biological resources.

V. CULTURAL RESOURCES. Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Cause a substantial adverse change in the significance of a historical resource as defined in § 15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to § 15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Disturb any human remains, including those interred outside of formal cemeteries?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

(a) – (d) The proposed project consists of installing a crematory in an existing building. The footprint of the existing building would not be altered and no ground-disturbing activities would be involved. Project implementation would not cause a substantial adverse change in the significance of a historical or archaeological resource; would not destroy a unique paleontological resource or site or unique geologic feature; and would not unlawfully disturb any human remains, including those interred outside of formal cemeteries. Based on the above discussion, it is expected that project implementation would have no adverse impact on cultural resources.

<u>VI. GEOLOGY AND SOILS.</u> Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
ii) Strong seismic ground shaking?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
iii) Seismic-related ground failure, including liquefaction?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
iv) Landslides?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Result in substantial soil erosion or the loss of topsoil?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial risks to life or property?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

(a) – (e) The proposed project consists of installing a crematory in an existing building. The footprint of the existing building would not be altered and no ground-disturbing activities would be involved. Project implementation would not expose people to the risk of loss, injury, or death associated with earthquakes, seismic ground shaking, seismic-related ground failure, liquefaction or landslides. It would not result in soil erosion, loss of topsoil, be located on soil that is unstable, or located on expansive soil. The building is connected to the City of San Diego sewer system. Based on the above discussion, it is expected that project implementation would have no adverse impact on geology/soils.

<u>VII. GREENHOUSE GAS EMISSIONS.</u> Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

(a) – (b) Construction GHG emissions for this project are expected to be negligible since the building envelope and site are to remain unchanged. Operation of the crematory is not expected to create any more vehicle trips than the site’s existing use as a mortuary. GHG emissions expected from the operation of the propane fired crematory are expected to be 938 tons per year of CO₂e. According to the City of San Diego, greenhouse gas emissions from uses permitted under existing conditional use permits (such as crematories) have been taken into account as anthropogenic greenhouse gas emissions in the City of San Diego Climate Action Plan (CAP). Increases in this sector are tied to growth in population, which have been considered and accounted for in the CAP. This project is therefore consistent with the City of San Diego Climate Action Plan and therefore the project’s greenhouse gas emissions would not have a significant impact on the environment, and would not conflict with any applicable plan, policy, or regulation adopted for the reduction of greenhouse gas emissions.

<u>VIII. HAZARDS AND HAZARDOUS MATERIALS.</u> Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) For a project within the vicinity of a private airstrip, would the project result in a safety hazard for people residing or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
g) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
h) Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

(a) – (c) The proposed project consists of installing crematory in an existing building. Because humans and cremated remains are not classified as hazardous materials, operation of the crematory would not create hazardous materials. As shown in the Air Quality section of this document, operation of the proposed facility will not generate levels of criteria pollutants or air toxic emissions above the threshold of significance. Any hazardous materials, toxic materials, or other chemicals such as cleaning agents will be handled in compliance with all health and safety codes and appropriate local ordinances. Therefore, the project will not create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials, create a significant hazard to the public due to an accident or upset condition, or create hazardous emissions, materials, substances, or waste within one-quarter mile of a school.

(d) The project is not located on a site included on the list of hazardous materials sites compiled pursuant to Government Code Section 56962.5 and as a result would not create a significant hazard to the public or the environment.

(e) – (f) The project is not located within an airport land use plan or within two miles of a public airport, nor is it within the vicinity of a private airstrip. Therefore no impact is expected.

(g) The project will make no external changes to the site and will not impair or interfere with adopted emergency response plans or emergency evacuation plans.

(h) The project is sited in an already developed cemetery/mortuary location surrounded on all sides by manicured cemetery property, rather than along a wildland interface. The project would be required to abide by all City fire safety requirements. Therefore the project will not increase exposure of people or structures to risk of loss, injury, or death due to wildland fires.

<u>IX. HYDROLOGY AND WATER QUALITY.</u> Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Violate any water quality standards or waste discharge requirements?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level which would not support existing land uses or planned uses for which permits have been granted)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, in a manner which would result in substantial erosion or siltation on- or off-site?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) Otherwise substantially degrade water quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
g) Place housing within a 100-year flood hazard area as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
h) Place within a 100-year flood hazard area structures which would impede or redirect flood flows?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
i) Expose people or structures to a significant risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
j) Inundation by seiche, tsunami, or mudflow?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

(a) - (j) The proposed project consists of installing a crematory in an existing building. No ground-disturbing activities would be involved and the footprint of the existing building would not be altered. Project implementation would not violate any water quality standards or waste discharge requirements; would not substantially deplete groundwater

supplies or interfere substantially with groundwater recharge; would not substantially alter the existing drainage pattern of the site or area; would not create or contribute runoff water which would exceed the capacity for existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; would not otherwise substantially degrade water quality; would not place housing within a 100-year flood hazard area; would not place structures which would impede or redirect flood flows within a 100-year flood hazard area; and would not expose people or structures to a significant risk of loss, injury, death, inundation by seiche, tsunami, or mudflow. Therefore, no impact to hydrology or water quality is expected.

<u>X. LAND USE AND PLANNING.</u> Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Physically divide an established community?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Conflict with any applicable land use plan, policy, or regulation of an agency with jurisdiction over the project (including, but not limited to the general plan, specific plan, local coastal program, or zoning ordinance) adopted for the purpose of avoiding or mitigating an environmental effect?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Conflict with any applicable habitat conservation plan or natural community conservation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

(a) – (c): The proposed project consists of installing a crematory into an existing building. No ground-disturbing activities would be involved and the footprint of the existing building would not be altered. The site is already subject to a City of San Diego Major Use Permit which allows the proposed use. The project would occur on an existing developed site and would not change the existing physical setting of the site. Project implementation would not physically divide an established community; would not conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect; and would not conflict with any applicable habitat conservation or natural community conservation plan. Based on the above discussion, it is expected that project implementation would have no adverse impact on land use/planning.

<u>XI. MINERAL RESOURCES.</u> Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

(a) – (b) The proposed project consists of installing a crematory into an existing building. No ground-disturbing activities would be involved and the footprint of the existing building would not be altered. Project implementation would not result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the State; and would not result in the loss of availability of a locally important mineral resource recovery site. Based on the above discussion, it is expected that project implementation would have no adverse impact on mineral resources.

<u>XII. NOISE</u> -- Would the project result in:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Exposure of persons to or generation of noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) A substantial permanent increase in ambient noise levels in the project vicinity above levels existing without the project?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) A substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing without the project?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) For a project within the vicinity of a private airstrip, would the project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

(a) – (f) The proposed project consists of installing a crematory into an existing building. No ground-disturbing activities would be involved and the footprint of the existing building would not be altered. The new crematory would be delivered to the project site on an on-road truck and installed within the existing building. No noise-sensitive land uses exist within 1,000 feet of the project site. Any off-site audible construction noise related to the project would be short-term and not substantial. Operation of the crematory within the building is not anticipated to create substantial offsite noise. Project implementation would not result in exposure of persons to or generation of noise levels in excess of applicable standards; would not expose people to or generate excessive groundborne vibration or noise; would not result in a substantial permanent, temporary, or periodic increase in ambient noise levels; and would not affect any airport land use plan or private air strip. Based on this discussion it is expected that project implementation would have a less than significant noise impact.

<u>XIII. POPULATION AND HOUSING.</u> Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Induce substantial population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Displace substantial numbers of existing housing, necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Displace substantial numbers of people, necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

(a) – (c) The proposed project consists of installing a crematory into an existing building. No ground-disturbing activities would be involved and the footprint of the existing building would not be altered. Project implementation would not induce substantial growth and would not displace substantial numbers of housing or people, requiring the construction of replacement housing. Based on the above discussion, it is expected that project implementation would have no adverse impact on population/housing.

<u>XIV. PUBLIC SERVICES.</u>	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Fire protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Police protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Schools?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Parks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Other public facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

(a) The proposed project consists of installing a crematory into an existing building. There will be no physical impacts to governmental facilities, and no new or altered governmental facilities would be required to maintain acceptable service ratios, response times or other performance objectives for public services. Based on the above discussion, it is expected that project implementation would have no adverse impact on public services.

<u>XV. RECREATION.</u>	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

(a) – (b) The proposed project consists of installing a crematory into an existing building. No ground-disturbing activities would be involved and the footprint of the existing building would not be altered. Project implementation would not result in increased use of any existing neighborhood park, regional park or recreation facility. The project does not include recreational facilities, nor does it require construction or expansion of existing facilities. Therefore it is expected that the project would have no adverse impact on recreational facilities.

<u>XVI. TRANSPORTATION/TRAFFIC.</u> Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Conflict with an applicable plan, ordinance or policy establishing measures of effectiveness for the performance of the circulation system, taking into account all modes of transportation including mass transit and non-motorized travel and relevant components of the circulation system, including but not limited to intersections, streets, highways and freeways, pedestrian and bicycle paths, and mass transit?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Conflict with an applicable congestion management program, including, but not limited to level of service standards and travel demand measures, or other standards established by the county congestion management agency for designated roads or highways?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Result in inadequate emergency access?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) Conflict with adopted policies, plans, or programs regarding public transit, bicycle, or pedestrian facilities, or otherwise decrease the performance or safety of such facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p>(a) – (f) The proposed project consists of installing a crematory into an existing building. No ground-disturbing activities would be involved and the footprint of the existing building would not be altered. Project implementation would not cause an increase in traffic which is substantial in relation to the existing traffic load and capacity of the street system; would not exceed, either individually or cumulatively, a level of service standard established by the regional congestion management agency for any road or highway; would not result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks; would not substantially increase hazards due to a design feature or incompatible uses; would not result in inadequate emergency access or parking capacity; and would not conflict with adopted policies, plans, or programs supporting alternative transportation. Based on the above discussion, it is expected that project implementation would have a less than significant impact on transportation/traffic.</p>				

<u>XVII. UTILITIES AND SERVICE SYSTEMS.</u> Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Require or result in the construction of new storm water drainage facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Have sufficient water supplies available to serve the project from existing entitlements and resources, or are new or expanded entitlements needed?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) Be served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs? Less than significant?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
g) Comply with federal, state, and local statutes and regulations related to solid waste?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

(a) – (g) The proposed project consists of installing a crematory into an existing building. No ground-disturbing activities would be involved and the footprint of the existing building would not be altered. No changes to the existing wastewater facilities are proposed as part of this project. Project implementation would not exceed wastewater treatment requirements of the regional water quality control board; would not require or result in the construction of new water, wastewater treatment, or storm water drainage facilities, or the expansion of existing facilities; would not require water supplies in excess of existing entitlements and resources or require new or expanded entitlements; would not require additional wastewater treatment capacity or landfill capacity; and would comply with federal, State, and local statutes and regulations related to solid waste. Based on the above discussion, it is expected that project implementation would have no adverse impact on utilities/service systems.

XVIII. MANDATORY FINDINGS OF SIGNIFICANCE.	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Based on the analysis in this document, the San Diego County Air Pollution Control District finds that this project does not have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory. The project does not have cumulatively considerable impacts, nor does it have environmental effects which would cause substantial adverse effects on human beings, either directly or indirectly.

Note: Authority cited: Sections 21083 and 21083.05, Public Resources Code. Reference: Section 65088.4, Gov. Code; Sections 21080(c), 21080.1, 21080.3, 21083, 21083.05, 21083.3, 21093, 21094, 21095, and 21151, Public Resources Code; *Sundstrom v. County of Mendocino*, (1988) 202 Cal.App.3d 296; *Leonoff v. Monterey Board of Supervisors*, (1990) 222 Cal.App.3d 1337; *Eureka Citizens for Responsible Govt. v. City of Eureka* (2007) 147 Cal.App.4th 357; *Protect the Historic Amador Waterways v. Amador Water Agency* (2004) 116 Cal.App.4th at 1109; *San Franciscans Upholding the Downtown Plan v. City and County of San Francisco* (2002) 102 Cal.App.4th 656.

Revised 2009